

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (token\$4 or encrypt \$4) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:18
L1	24	((@ad<"20020819" or @rlad<"20020819") and (script\$4 same question\$2 same (collect\$4 or gather \$4) near4 user\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:06
L2	459	((@ad<"20020819" or @rlad<"20020819") and (script\$4 same (question\$4 or survey) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:10
L3	383	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (server\$2 or terminal \$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) and (off\$1line\$2 or offline\$2 or (off\$2 adj3 line \$2)) and (interact\$4 with (survey or question\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:12
L4	11	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (server\$2 or terminal \$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2)) same (interact\$4 with (survey or question \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:12

L5	0	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (token\$2 or encryp \$4) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2)) same (interact\$4 with (survey or question\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:16
L6	0	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (token\$4 or encryp \$4) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2)) same (interact\$4 with (survey or question\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:17
L7	0	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (token\$4 or encrypt \$4) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2)) same (interact\$4 with (survey or question\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:17
L8	4	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (token\$4 or encrypt \$4) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:18

L9	4	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (token\$4 or encrypt \$4) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:21
L10	1	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (token\$4) same (server\$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA \$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:22
L11	152	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) same (server\$2 or terminal \$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:24
L12	21	((@ad<"20020819" or @rlad<"20020819") and ((question\$4 or survey) with token\$2) and ((server \$2 or terminal\$2 or PC\$2 or computer\$2) same (user\$2 or client\$2 or PDA\$2)) same (off\$1line\$2 or offline\$2 or (off\$2 adj3 line\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 12:25

5/ 6/ 2009 12:33:11 PM